

VILLAGE PRESIDENT

P. Sean Michels

VILLAGE ADMINISTRATOR

Brent M. Eichelberger

VILLAGE CLERK

Alison Murphy



COMMUNITY DEVELOPMENT

VILLAGE TRUSTEES

Sean Herron
Ted Koch
Jen Konen
Heidi Lendi
Rick Montalto
Ryan Walter

COLD WEATHER CONCRETE PLACEMENT

Cold weather is defined by ACI 306 as a period when, for more than three successive days, the mean daily temperature drops below 40 degrees F.

The following will be accepted practice for cold weather conditions:

The temperature must be 30 degrees F and rising to pour.

No concrete will be placed on frozen materials.

No concrete below 55 degrees F out of the truck will be allowed and this temperature must be maintained during placement.

Forms will remain in place 72 hours with blankets after completion of pour.

Blankets must remain for seven full days after forms are removed.

No flatwork will be allowed unless in a heated enclosure.

All flatwork will remain enclosed and heated above freezing for a period of FIVE days after being poured.